

Connectors and Tools

Product Catalogue



Matchmaster Catalogue



Compression Tool 'F' Connectors

08MM-CT01

- » Professional tool suitable for RG6/11 'F' Type connectors
- » Termination is accomplished in a single action
- » A professional cost effective solution for 'F' connector type compression



Spare Part for 08MM-CT01 Compression Tool

08MM-CT01PLUNGER

- » Easy fit
- » Used to pro-long life of tool



Spare Part for 08MM-CT01S Compression Tool

08MM-CT01S-PLUNGER

- » Easy fit
- » Used to pro-long life of tool



Connector Compression RG6 Dual/Quad

08MM-EX6XLG

- » Suitable for RG6 coaxial cable
- » Used with Matchmaster compression tool (08MM-CT01)
- » High quality nickel plated finish
- » Heavy duty coaxial cable compression feature
- » Telstra approved



Connector RG6 WRO 'F' Type Sky Approved

08MM-F6WROS

- » Alloy
- » Sky Approved



Replacement Cartridge for 08MM-ST05

08MM-HTR352

- » Easy fit
- » Used to pro-long life of tool
- » New RG6/59 and RG11 cutting blade



F Barrel Wrench

08MM-MDS-F-BARREL-WRENCH

- » "F" connector tool
- » Aluminium construction
- » Allows tightening of "F" connectors in tight locations



Connector RG6 Universal Compression Quick Mount

08MM-QM06

- » Frequency range 0.3 - 3000 MHz
- » No need to pull back braid or remove the foil sheath like traditional connector
- » Just strip cable, place on connector and compress
- » Used with Matchmaster compression tool (08MM-CT01)
- » Heavy duty coaxial cable compression feature
- » Rubber 'O' ring seal to prevent moisture ingress

Matchmaster Catalogue



Connector Compression Quick Mount Short with 'O' Ring

08MM-QM06S

- » Frequency range 0.3 - 3000 MHz
- » Short connector, less than 22mm long when compressed
- » No need to pull back braid or remove the foil sheath like traditional connector
- » Just strip cable, place on connector and compress
- » Used with Matchmaster compression tool (08MM-CT06)
- » Rubber 'O' ring seal to prevent moisture ingress



Connector RG11 Compression Universal Quick Mount

08MM-QM11

- » Frequency range 0.3 - 3000 MHz
- » No need to pull back braid or remove the foil sheath like traditional connector
- » Just strip cable, place on connector and compress
- » Used with Matchmaster compression tool (08MM-CT01)
- » Heavy duty coaxial cable compression feature
- » Rubber 'O' ring seal to prevent moisture ingress



Connector Self Install, No Crimp Tool Required

08MM-SI59

- » No tools required



Connector Self Install, No Crimp Tool Required

08MM-SI6

- » Use Digital Ready 'F'-Type fittings without having to haul the crimping tool into a cramped roof-space
- » Works in conjunction with your existing RG6 stripper
- » Use your Digital Ready 'F'-Type fittings on your TV system without having to buy specialist tool, just push the connector on



Professional Compression Tool Kit

08MM-SKY-KIT

- » 1 x 08MM-CT01 Compression Tool
- » 1 x 08MM-ST05 Stripper
- » 50 x 08MM-EX6XLG Connectors



Professional Compression Tool Kit With Case

08MM-SKY-KIT2

- » 1 x 08MM-CT01 Compression Tool
- » 1 x 08MM-ST05 Stripper
- » 50 x 08MM-EX6XLG Connectors
- » Protective Hard Case

Matchmaster Catalogue



Stripping Tool For RG59, RG6, RG11 and CAT 5

08MM-ST05

- » Suitable for RG59, RG6, RG11 coaxial cable and data/telephone cable
- » Ideal for stripping outer jackets of UTP, STP & CAT5 round telephone cable
- » The stripping tool also incorporates an in built, adjustable cable cutter
- » Provides a click in, rotating cartridge to swap between RG59/RG6 and RG11 stripping
- » Compact, light weight design



matchmaster.co.nz

0800 AERIAL 237 425

Products may vary from images shown
and all specifications are correct at
time of printing