

# HDMI

## Product Catalogue



# Matchmaster Catalogue



## Premium HDMI® Active Cable 4K with Built In Directional Repeater

- » Utilised for connecting your TV or projector to your 4K UHD player, Blu-ray or DVD player, gaming console, HD set top box etc
- » Supports 4K/2K @ 30/60Hz and 3D
- » High speed HDMI cable with Ethernet
- » Pure copper conductor
- » 24K gold copper plated connector
- » Supports ARC, CEC and static HDR
- » Backwards compatible with HDMI2.0/HDMI1.4
- » Plug and Play without need for external power source

| Product Code      | Length |
|-------------------|--------|
| <b>O4MM-HDR15</b> | 15m    |
| <b>O4MM-HDR20</b> | 20m    |
| <b>O4MM-HDR6</b>  | 6.1m   |
| <b>O4MM-HDR9</b>  | 9.15m  |



## High Speed 4K HDMI® Cable V2.0 (Installer Grade – Slimline Design)

- » HDMI cable Male to Male 2.0V
- » Perfectly suited for installations with limited space such as installation behind flush mounted screens or shallow depth cabinets
- » Supports resolutions up to 4K 2K@60Hz with 24bit RGB/YCBCR 4:4:5
- » Supports ARC (Audio Return Channel) and CEC control (Consumer Electronics Control)
- » Supports LPCM 7.1CH, Dolby TrueHD, and DTS-HD Master Audio
- » Compact design for an easy and flexible installation

| Product Code       | Length |
|--------------------|--------|
| <b>O4MM-SL0.5</b>  | 0.5m   |
| <b>O4MM-SL0.75</b> | 0.75m  |
| <b>O4MM-SL1</b>    | 1m     |
| <b>O4MM-SL1.5</b>  | 1.5m   |
| <b>O4MM-SL2</b>    | 2m     |
| <b>O4MM-SL3</b>    | 3m     |
| <b>O4MM-SL5</b>    | 5m     |



## TERRA HD Modulator Single HDMI In to HD COFDM Out 10MM-MT67

- » TERRA quality
- » Small and compact
- » Pre-loaded database
- » RF loop through
- » Plug pack supplied



## Terra HD Modulator Single HDMI In to HDMI Loop Out 10MM-MT68

- » The TERRA HD modulator follows a strong run of quality products manufactured in Europe. This unit comes complete with a pre-labelled data base for ease of use when one modulator is require or multiple modulators
- » HDMI loop out allows for source signal to be modulated and then looped to local device, no need for an HDMI splitter
- » Small and compact and with Terra quality and Matchmaster support
- » RF loop through
- » Preprogrammed data base means no conflict when using multiple digital modulators in the same coaxial system

# Matchmaster Catalogue

## HDMI Extender, 1x HDMI Loop Out, 1x Cat5e/6 50m Output with IR and PoC

### 34MM-2K50



- » HDMI loop out port allows for cascading additional extenders or a local TV connection
- » Supports power over cable function POC. Only one power supply needed at the source. RX unit is powered by the Transmitter through the CAT5e/6 connection
- » 1x IR transmitter and 1x IR receiver included
- » Capacity for 1080p/60Hz HDMI1.3 to 50m.
- » 5V DC 1 Amp Power Supply included
- » Compact design for easy and flexible installation

1080p

## HDMI Extender Splitter with 1x HDMI Loop Out and 3x Cat5e/6 55m Output with IR and PoC

### 34MM-2K50-3



- » HDMI loop out port allows for cascading additional extenders or a local TV connection
- » Supports power over cable function POC. Only one power supply needed at the source. RX units powered by the splitter thru the CAT5e/6 connection
- » 1 x IR Transmitter and 3 x IR receiver included (one for each RX unit)
- » Capacity for 1080p/60Hz HDMI1.4 to 55m.
- » Threaded DC power port for secure power supply connection
- » Compact design for an easy and flexible installation

1080p

## 50M HDMI Extender Over CAT6 HDMI 2.0 18Gbps HDCP 2.2

### 34MM-4K50



- » Extend 4K HDR Ultra High definition picture and sound from an HDMI source up to 50M using a single CAT6 cable
- » HDMI loop out port allows for cascading additional extenders or local TV connection
- » Supports copying of EDID signature from either the receiver display or loop out display.
- » Supports remote IR control from extender to source using supplied IR accessories (compatible with Foxtel and MySky IR remotes)
- » Supports power over cable function 'POC'. Only one power supply needed at source end.
- » HDMI 2.0 HDCP 2.2/HDCP 1.4 and DVI 1.0 compliant

## HDMI 2.0 18Gbps Extender Splitter with 1x HDMI Loop Out and 4 x Cat6 Out 35m with IR and PoC

### 34MM-4K50



- » HDMI loop out port allows for cascading additional extender/splitters, or connecting a local TV.
- » Supports 'power over cable' function POC. RX units powered by the Splitter thru the CAT6 connection
- » 1 x IR Transmitter and 4 x IR receiver included (one for each RX unit)
- » Capacity for 4K/60Hz HDMI2.0 (18Gbps) to 35m with CAT6.
- » Digital audio extraction via S/PDIF RCA and analog audio extraction via 3.5mm socket

# Matchmaster Catalogue



## Digital Audio Extender Over CAT5e/6 34MM-DAE1

- » Transmission range: Up to 300m (990')
- » Accepts digital coax or optical Toslink
- » Supports Digital 5.1 (DTS, Dolby Digital, etc.)
- » High performance, zero signal loss with both outputs active from any input.
- » Data transmission rate: 12.8Mb/s
- » S/PDIF (digital coax): 96kHz performance



## 2 Way HDMI 2.0 Splitter with Built In Downscaler 34MM-HDS2

- » HDMI 2.0b, HDCP 2.2 compliant
- » Supports resolutions up to 4K2K@60Hz with 24bit RGB/YCBCR 4:4:4
- » EDID control with 8 settings and HDCP switch
- » Supports LPCM 7.1CH, Dolby TrueHD, and DTS-HD Master Audio
- » Threaded DC power port for secure power supply connection
- » Compact design for an easy and flexible installation

18Gbps

4K HDR Ultra HD  
COMPATIBLE



## 4 Way HDMI 2.0 Splitter with Built In Downscaler 34MM-HDS4

- » HDMI 2.0b, HDCP 2.2 compliant
- » Supports resolutions up to 4K2K@60Hz with 24bit RGB/YCBCR 4:4:4
- » EDID control with 8 settings and HDCP switch
- » Supports LPCM 7.1CH, Dolby TrueHD, and DTS-HD Master Audio
- » Threaded DC power port for secure power supply connection
- » Compact design for an easy and flexible installation

18Gbps

4K HDR Ultra HD  
COMPATIBLE



## 8 Way HDMI 2.0b 18Gbps Splitter 34MM-HDS8

- » Active 8 way HDMI splitter
- » HDMI 2.0b, HDCP 2.2 compliant
- » Supports resolutions up to 4K, 2K @ 60Hz with 24bit RGB/YCBCR 4:4:4
- » Supports LPCM 7.1CH, Dolby TrueHD, and DTS-HD Master Audio
- » EDID control with 2 settings, Standard (1080p) mode and TV (copy EDID from Output 1) mode
- » Compact design for an easy and flexible installation

18Gbps

4K HDR Ultra HD  
COMPATIBLE

# Matchmaster Catalogue

## HDMI Audio Extractor with Repeater upto 15mtrs, 1080p, HDMI v1.4, HDCP v1.2

### HDMI-AUDIOEXT



- » Retrieves audio embedded in the HDMI signal and converts into a digital optical or analog stereo for output to an external speaker or audio to your stereo amplifier
- » HDMI v1.4 version features: ARC function, EDID management, IR over HDMI and HDMI v1.4, HDCP v1.2 compliant
- » Use for display devices without built-in speakers provide audio output solution
- » Provides audio to audio amplifier or other device without HDMI INPUT port or supplying Audio to a Sound Bar
- » Supports IR over HDMI, CEC function, 1080p@60Hz, 3D, HDMI audio sampling rates up to 192kHz, optical S / PDIF audio sampling rates up to 48kHz
- » Supports HDMI signal repeater function (upto 15mtrs)

## HDMI Male to Female IR Inserter for HDMI- H Series Products

### HDMI-IRADP10



- » HDMI Female to Male Inserter Adapter for IR plug
- » Accurate and reliable reproduction of digital video signal, with no signal attenuation or distortion
- » Transport both audio and video signals
- » Works with HDMI-IRADP20 & HDMI-IRADP30

## IR Transmitter/Sender for use with HDMI-IRADP10 (tx) and H Series Devices

### HDMI-IRADP20



- » Single band IR Sender
- » Supporting 20-60kHz IR frequency
- » 1.5mtr IR cable
- » 3.5mm plug
- » Works with HDMI-CAT5-30M, HDMI-CAT5-50M, HDMI-CAT5-50M-S, HDMI-CAT5-70M, HDMI-CAT5-100M, HDMI-SPLIT2H, HDMI-SPLIT4H, HDMI-SPLIT8H, HDMI-MATRIX2X4H, HDMI-MATX2X4H4K, HDMI-MATRIX4H, HDMI-MATRIX4X2H, HDMI-MATX4X2H4K, HDMI-SWI4R, HDMI-WIRE30H, HDMI-IRADP10 & HDMI-IRADP20

## R Receiver for use with HDMI-IRADP10 (rx) and H Series Devices

### HDMI-IRADP30



- » Single band IR Receiver
- » Supporting 20-60kHz IR frequency.
- » 1.5m IR cable
- » 3.5mm plug
- » 3-5mtr sensitivity (max 7mtr)
- » Works with HDMI-CAT5-30M, HDMI-CAT5-50M, HDMI-CAT5-50M-S, HDMI-CAT5-70M, HDMI-CAT5-100M, HDMI-SPLIT2H, HDMI-SPLIT4H, HDMI-SPLIT8H, HDMI-MATRIX2X4H, HDMI-MATX2X4H4K, HDMI-MATRIX4H, HDMI-MATRIX4X2H, HDMI-MATX4X2H4K, HDMI-SWI4R, HDMI-WIRE30H, HDMI-IRADP10 & HDMI-IRADP20

# Matchmaster Catalogue



## HDMI Inline Cable Extender, 1080p, HDMI v1.4

### HDMI-REPT1.4H

- » Extends the length of any HDMI cable by regenerating the HDMI signal before it outputs to the HDMI Displays
- » Clean out the digital noise (sparkles) in your displays
- » Maximum input upto 20mtrs; Maximum output upto 20mtrs over HDMI cables
- » No Power Supply required



## HDMI Cable Tester (Transmitter & Receiver) 19 LED Tester

### HDMI-TESTER3

- » 19-PIN continuity test for short/open circuit testing
- » Full 19-PIN display
- » Manual or auto test
- » Cable identifier
- » Carry case



## HDMI Male to HDMI Female 90deg Right Angled Adaptor (Down)

### PLG764

- » HDMI Male to HDMI Female 90deg Right Angled Adaptor (Down)



## HDMI Male to HDMI Female 270deg Right Angled Adaptor (Up)

### PLG766

- » HDMI Male to HDMI Female 270deg Right Angled Adaptor (Up)



## HDMI Female to HDMI Female Joiner Adaptor DX Range

### SKT610

- » HDMI Female to HDMI Female Joiner Adaptor DX Range





**matchmaster.co.nz**

**0800 AERIAL** 237 425

Products may vary from images shown  
and all specifications are correct at  
time of printing