

For the Best

Multiswitch Systems

Product Catalogue



Matchmaster Catalogue

Satellite Multiswitch 3 x 8

10MM-MST308



- » Hub friendly
- » 2 x satellite inputs, 1 x terrestrial input (UHF/FM), backfeed and 8 outputs
- » LNB and masthead amplifier powering
- » 4G/5G TLE filtered
- » Power supply and push rivets for securing into hub included
- » Kiwi ingenuity



Multiswitch 2 x SAT, 1 x TER, 1 x Backfeed, 19" Rack Mount

10MM-MST316-19



- » Inputs: 2 x Satellite, 1 x Terrestrial, 1 x Backfeed (SAT1 and TER switchable SEP/COMB)
- » Frequency 47-2150MHz
- » Electrostatic protection
- » LNB and Masthead amplifier powering
- » Power supply included
- » Compatible with MST, DDA and MDS, Hub friendly



Terminator -75 Ohm DC Blocking

21MM-DV25



- » Nickel plated brass
- » Used on MDS™

4-Way MDS Apartment Switch (Includes Power Supply)

21MM-MDS-A-4SWITCH



- » 2 inputs from MDS™ System switch + Backfeed for internal distribution
- » allows connection of up to 3 outlets, 1 main + 2 slaves
- » Supplied with power pack for local powering
- » Power LED to indicate power present
- » Comes complete with comprehensive labelling system

1-Way MDS Tap

- » Low losses
- » DC pass through SAT1/TER trunk lines; switchable DC pass to isolate "TAP" line
- » Power LED to indicate power present
- » Comes complete with comprehensive labelling system and "quick connection" system
- » Supplied With 2 x 21MM-DV49 Quick Joiner



Product Code	dB
21MM-MDS-10-4SWITCH	10dB
21MM-MDS-15-4SWITCH	15dB
21MM-MDS-20-4SWITCH	6.1m

Matchmaster Catalogue



2-Way MDS Splitter

21MM-MDS-S-2SPLIT

- » Low losses
- » DC pass through SAT1/TER trunk lines; switchable DC pass to isolate "TAP" line
- » Power LED to indicate power present
- » Comes complete with comprehensive labelling system and "quick connection" system



4-Way MDS Splitter

21MM-MDS-S-4SPLIT

- » Low losses
- » DC pass through SAT1/TER trunk lines; switchable DC pass to isolate "TAP" line
- » Power LED to indicate power present
- » Comes complete with comprehensive labelling system and "quick connection" system



8-Way MDS System Switch

21MM-MDS-S-8SWITCH


- » Receives power and RF from MDS™ system or can be local powered if used as "stand-alone"
- » DC pass through SAT1/TER trunk lines; switchable DC pass to isolate "TAP" line
- » Power LED to indicate power present
- » Individual adjustments for SAT1, SAT2 & TER
- » Comes complete with comprehensive labelling system



3x2 MDS Amplifier, Wall Mount

21MM-MDS-S-AMP

- » Amplifies 2 polarities of satellite & terrestrial in one device, whilst providing power to the LNB and system components
- » Cascadable with MDS™ cable components and can line power up to 12 MDS™ Multiswitch's
- » Easy signal level controlled with attenuation on each satellite and terrestrial signal
- » Output to feed into MDS™ 2/4SPLIT for pre-set trunk design
- » Wall friendly
- » See MDS™ guidelines, template and easy setup documents



32 Way MDS System Switch

21MM-MDS1-32SW

- » Receives power and RF from MDS™ system or can be local powered if used as "stand-alone"
- » DC pass through SAT1/TER trunk lines; switchable DC pass to isolate "TAP" line
- » Power LED to indicate power present
- » Individual adjustments for SAT1, SAT2 & TER
- » Comes complete with comprehensive labelling system
- » Staggered output levels, 1-16 full output, 17-32 2dB less

Matchmaster Catalogue

Multiswitch 3 x 16 with Backfeed (Hub and Wall Friendly)

30MM-MST316



- » Inputs: 2 x Satellite, 1 x Terrestrial, 1 x Backfeed (SAT1 and TER switchable SEP/COMB)
- » Frequency 47-2150MHz
- » Electrostatic protection
- » LNB and Masthead amplifier powering
- » Power supply included
- » Compatible with MST, DDA and MDS, Hub friendly





matchmaster.co.nz

0800 AERIAL 237 425

Products may vary from images shown
and all specifications are correct at
time of printing